

| HS           | CET | DESCRIPTION OF GOODS  | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|---|-----------|------|------------|
|              |     | <b>I - PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM</b>   |           |      |            |
| <b>72.01</b> |     | <b>Pig iron and spiegeleisen in pigs, blocks or other primary forms.</b>  |           |      |            |
| 7201.10      | 00  | - Non-alloy pig iron containing by weight 0.5% or less of phosphorous   | Free      | kg   | 671.21     |
| 7201.20      | 00  | - Non-alloy pig iron containing by weight more than 0.5% of phosphorous   | Free      | kg   | 671.22     |
|              |     | - Alloy pig iron, spiegeleisen:   |           |      |            |
| 7201.50      | 10  | - - - Alloy pig iron  | Free      | kg   | 671.231    |
| 7201.50      | 20  | - - - Spiegeleisen  | Free      | kg   | 671.232    |
| <b>72.02</b> |     | <b>Ferro-alloys.</b>  |           |      |            |
|              |     | - Ferro-manganese:  |           |      |            |
| 7202.11      | 00  | - - Containing by weight more than 2% of carbon   | Free      | kg   | 671.41     |
| 7202.19      | 00  | - - Other   | Free      | kg   | 671.49     |
|              |     | - Ferro-silicon:  |           |      |            |
| 7202.21      | 00  | - - Containing by weight more than 55% of silicon   | Free      | kg   | 671.511    |
| 7202.29      | 00  | - - Other   | Free      | kg   | 671.519    |
| 7202.30      | 00  | - Ferro-silico-manganese  | Free      | kg   | 671.52     |
|              |     | - Ferro-chromium:   |           |      |            |
| 7202.41      | 00  | - - Containing by weight more than 4% of carbon   | Free      | kg   | 671.531    |
| 7202.49      | 00  | - - Other   | Free      | kg   | 671.532    |
| 7202.50      | 00  | - Ferro-silico-chromium   | Free      | kg   | 671.54     |
| 7202.60      | 00  | - Ferro-nickel  | Free      | kg   | 671.55     |
| 7202.70      | 00  | - Ferro-molybdenum  | Free      | kg   | 671.591    |
| 7202.80      | 00  | - Ferro-tungsten and ferro-silico-tungsten  | Free      | kg   | 671.592    |
|              |     | - Other:  |           |      |            |
| 7202.91      | 00  | - - Ferro-titanium and ferro-silico-titanium  | Free      | kg   | 671.593    |
| 7202.92      | 00  | - - Ferro-vanadium  | Free      | kg   | 671.594    |
| 7202.93      | 00  | - - Ferro-niobium   | Free      | kg   | 671.595    |
| 7202.99      | 00  | - - Other   | Free      | kg   | 671.599    |
| <b>72.03</b> |     | <b>Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms.</b> |           |      |            |
| 7203.10      | 00  | - Ferrous products obtained by direct reduction of iron ore   | 10%       | kg   | 671.331    |
| 7203.90      | 00  | - Other   | 5%        | kg   | 671.339    |
| <b>72.04</b> |     | <b>Ferrous waste and scrap; remelting scrap ingots of iron or steel.</b>  |           |      |            |
| 7204.10      | 00  | - Waste and scrap of cast iron  | Free      | kg   | 282.1      |

| HS           | CET | DESCRIPTION OF GOODS   | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|--|-----------|------|------------|
|              |     | - Waste and scrap of alloy steel:  |           |      |            |
| 7204.21      | 00  | - - Of stainless steel   | Free      | kg   | 282.21     |
| 7204.29      | 00  | - - Other  | Free      | kg   | 282.29     |
| 7204.30      | 00  | - Waste and scrap of tinned iron or steel  | Free      | kg   | 282.31     |
|              |     | - Other waste and scrap:   |           |      |            |
| 7204.41      | 00  | - - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles | Free      | kg   | 282.32     |
| 7204.49      | 00  | - - Other  | Free      | kg   | 282.39     |
| 7204.50      | 00  | - Remelting scrap ingots   | Free      | kg   | 282.33     |
| <b>72.05</b> |     | <b>Granules and powders, of pig iron, spiegeleisen, iron or steel.</b>   |           |      |            |
| 7205.10      | 00  | - Granules   | Free      | kg   | 671.31     |
|              |     | - Powders:   |           |      |            |
| 7205.21      | 00  | - - Of alloy steel   | Free      | kg   | 671.321    |
| 7205.29      | 00  | - - Other  | Free      | kg   | 671.329    |
|              |     | <b>II - IRON AND NON-ALLOY STEEL</b>   |           |      |            |
| <b>72.06</b> |     | <b>Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).</b>                |           |      |            |
|              |     | - Ingots:  |           |      |            |
| 7206.10      | 10  | - - - Of iron  | Free      | kg   | 672.411    |
| 7206.10      | 20  | - - - Of non-alloy steel   | Free      | kg   | 672.412    |
|              |     | - Other:   |           |      |            |
| 7206.90      | 10  | - - - Of iron  | Free      | kg   | 672.451    |
| 7206.90      | 90  | - - - Of non-alloy steel   | Free      | kg   | 672.459    |
| <b>72.07</b> |     | <b>Semi-finished products of iron or non-alloy steel.</b>  |           |      |            |
|              |     | - Containing by weight less than 0.25% of carbon:  |           |      |            |
|              |     | - - Of rectangular (including square) cross-section, the width measuring less than twice the thickness:            |           |      |            |
| 7207.11      | 10  | - - - Blooms and billets, of non-alloy steel   | 10%       | kg   | 672.611    |
| 7207.11      | 90  | - - - Other  | 5%        | kg   | 672.619    |
|              |     | - - Other, of rectangular (other than square) cross-section:   |           |      |            |
| 7207.12      | 10  | - - - Blooms and billets, of non-alloy steel   | 10%       | kg   | 672.621    |
| 7207.12      | 90  | - - - Other  | 5%        | kg   | 672.629    |
|              |     | - Other:   |           |      |            |
| 7207.19      | 10  | - - - Blooms and billets, of non-alloy steel   | 10%       | kg   | 672.691    |
| 7207.19      | 90  | - - - Other  | 5%        | kg   | 672.699    |

| HS           | CET | DESCRIPTION OF GOODS  | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|---|-----------|------|------------|
|              |     | - Containing by weight 0.25% or more of carbon:   |           |      |            |
| 7207.20      | 10  | - - - Blooms and billets, of non-alloy steel  | 10%       | kg   | 672.71     |
| 7207.20      | 90  | - - - Other   | 5%        | kg   | 672.79     |
| <b>72.08</b> |     | <b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.</b>                 |           |      |            |
|              |     | - In coils, not further worked than hot-rolled, with patterns in relief:  |           |      |            |
| 7208.10      | 10  | - - - Of a thickness of less than 3 mm  | 5%        | kg   | 673.2111   |
| 7208.10      | 90  | - - - Other   | 5%        | kg   | 673.2119   |
|              |     | - Other, in coils, not further worked than hot-rolled, pickled:   |           |      |            |
| 7208.25      | 00  | - - Of a thickness of 4.75 mm or more   | 5%        | kg   | 673.2121   |
| 7208.26      | 00  | - - Of a thickness of 3 mm or more but less than 4.75 mm  | 5%        | kg   | 673.2122   |
| 7208.27      | 00  | - - Of a thickness of less than 3 mm  | 5%        | kg   | 673.2123   |
|              |     | - Other, in coils, not further worked than hot-rolled:  |           |      |            |
| 7208.36      | 00  | - - Of a thickness exceeding 10 mm  | 5%        | kg   | 673.2131   |
| 7208.37      | 00  | - - Of a thickness of 4.75 mm or more but not exceeding 10 mm   | 5%        | kg   | 673.2132   |
| 7208.38      | 00  | - - Of a thickness of 3 mm or more but less than 4.75 mm  | 5%        | kg   | 673.2133   |
| 7208.39      | 00  | - - Of a thickness of less than 3 mm  | 5%        | kg   | 673.2134   |
|              |     | - Not in coils, not further worked than hot-rolled, with patterns in relief:  |           |      |            |
| 7208.40      | 10  | - - - Of a thickness of less than 3 mm  | 5%        | kg   | 673.2411   |
| 7208.40      | 90  | - - - Other   | 5%        | kg   | 673.2419   |
|              |     | - Other, not in coils, not further worked than hot-rolled :   |           |      |            |
| 7208.51      | 00  | - - Of a thickness exceeding 10 mm  | 5%        | kg   | 673.2421   |
| 7208.52      | 00  | - - Of a thickness of 4.75 mm or more but not exceeding 10 mm   | 5%        | kg   | 673.2422   |
| 7208.53      | 00  | - - Of a thickness of 3 mm or more but less than 4.75 mm  | 5%        | kg   | 673.2423   |
| 7208.54      | 00  | - - Of a thickness of less than 3 mm  | 5%        | kg   | 673.2424   |
|              |     | - Other:  |           |      |            |
| 7208.90      | 10  | - - - Of a thickness of less than 3 mm  | 5%        | kg   | 673.511    |
| 7208.90      | 90  | - - - Other   | 5%        | kg   | 673.519    |
| <b>72.09</b> |     | <b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.</b> |           |      |            |

| HS           | CET | DESCRIPTION OF GOODS  | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|---|-----------|------|------------|
|              |     | - In coils, not further worked than cold-rolled (cold-reduced):   |           |      |            |
| 7209.15      | 00  | - - Of a thickness of 3mm or more   | 5%        | kg   | 673.411    |
| 7209.16      | 00  | - - Of a thickness exceeding 1 mm but less than 3 mm  | 5%        | kg   | 673.412    |
| 7209.17      | 00  | - - Of a thickness of 0.5 mm or more but not exceeding 1 mm   | 5%        | kg   | 673.413    |
| 7209.18      | 00  | - - Of a thickness of less than 0.5 mm  | 5%        | kg   | 673.414    |
|              |     | - Not in coils, not further worked than cold-rolled (cold reduced):   |           |      |            |
| 7209.25      | 00  | - - Of a thickness of 3 mm or more  | 5%        | kg   | 673.461    |
| 7209.26      | 00  | - - Of a thickness exceeding 1 mm but less than 3 mm  | 5%        | kg   | 673.462    |
| 7209.27      | 00  | - - Of a thickness of 0.5 mm or more but not exceeding 1 mm   | 5%        | kg   | 673.463    |
| 7209.28      | 00  | - - Of a thickness of less than 0.5 mm  | 5%        | kg   | 673.464    |
|              |     | - Other:  |           |      |            |
| 7209.90      | 10  | - - - Of a thickness of less than 3 mm  | 5%        | kg   | 673.521    |
| 7209.90      | 90  | - - - Other   | 5%        | kg   | 673.529    |
| <b>72.10</b> |     | <b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.</b> |           |      |            |
|              |     | - Plated or coated with tin:  |           |      |            |
| 7210.11      | 00  | - - Of a thickness of 0.5 mm or more  | 5%        | kg   | 674.211    |
| 7210.12      | 00  | - - Of a thickness of less than 0.5 mm  | 5%        | kg   | 674.212    |
| 7210.20      | 00  | - Plated or coated with lead, including terne-plate   | 5%        | kg   | 674.41     |
|              | 00  | - Electrolytically plated or coated with zinc:  |           |      |            |
| 7210.30      | 10  | - - - Of a thickness of less than 3 mm, corrugated  | 15%       | kg   | 674.111    |
| 7210.30      | 20  | - - - Of a thickness of less than 3 mm, other   | 5%        | kg   | 674.112    |
| 7210.30      | 90  | - - - Other   | 5%        | kg   | 674.119    |
|              |     | - Otherwise plated or coated with zinc:   |           |      |            |
|              |     | - - Corrugated:   |           |      |            |
| 7210.41      | 10  | - - - Of a thickness of less than 3 mm  | 15%       | kg   | 674.131    |
| 7210.41      | 90  | - - - Other   | 5%        | kg   | 674.132    |
|              |     | - - Other:  |           |      |            |
| 7210.49      | 10  | - - - Of a thickness of less than 3 mm  | 5%        | kg   | 674.133    |
| 7210.49      | 90  | - - - Other   | 5%        | kg   | 674.139    |
| 7210.50      | 00  | - Plated or coated with chromium oxides or with chromium and chromium oxides                                  | 5%        | kg   | 674.42     |
|              |     | - Plated or coated with aluminium:  |           |      |            |
|              |     | - - Plated or coated with aluminium-zinc alloys:  |           |      |            |

| HS           | CET | DESCRIPTION OF GOODS   | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|--|-----------|------|------------|
| 7210.61      | 10  | - - - Of a thickness of less than 3 mm, corrugated   | 15%       | kg   | 674.431    |
| 7210.61      | 20  | - - - Of a thickness of less than 3 mm, other  | Free      | kg   | 674.432    |
| 7210.61      | 90  | - - - Other  | Free      | kg   | 674.433    |
| 7210.69      | 00  | - - Other  | Free      | kg   | 674.439    |
|              |     | - Painted, varnished or coated with plastics:  |           |      |            |
| 7210.70      | 10  | - - - Of a thickness of less than 3 mm, corrugated   | 15%       | kg   | 674.311    |
| 7210.70      | 20  | - - - Of a thickness of less than 3 mm, other  | Free      | kg   | 674.312    |
| 7210.70      | 90  | - - - Other  | Free      | kg   | 674.319    |
|              |     | - Other:   |           |      |            |
| 7210.90      | 10  | - - - Of a thickness of less than 3 mm, corrugated   | 15%       | kg   | 674.441    |
| 7210.90      | 20  | - - - Of a thickness of less than 3 mm, other  | Free      | kg   | 674.442    |
| 7210.90      | 90  | - - - Other  | Free      | kg   | 674.449    |
| <b>72.11</b> |     | <b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.</b>  |           |      |            |
|              |     | - Not further worked than hot-rolled:  |           |      |            |
| 7211.13      | 00  | - - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief | Free      | kg   | 673.271    |
| 7211.14      | 00  | - - Other, of a thickness of 4.75 mm or more   | Free      | kg   | 673.272    |
|              |     | - - Other:   |           |      |            |
| 7211.19      | 10  | - - - Of a thickness of less than 3 mm   | 5%        | kg   | 673.291    |
| 7211.19      | 90  | - - - Other  | 5%        | kg   | 673.299    |
|              |     | - Not further worked than cold-rolled (cold-reduced):  |           |      |            |
|              |     | - - Containing by weight less than 0.25% of carbon:  |           |      |            |
| 7211.23      | 10  | - - - Of a thickness of less than 3 mm   | 5%        | kg   | 673.491    |
| 7211.23      | 90  | - - - Other  | 5%        | kg   | 673.492    |
|              |     | - - Other:   |           |      |            |
| 7211.29      | 10  | - - - Of a thickness of less than 3 mm   | 5%        | kg   | 673.493    |
| 7211.29      | 90  | - - - Other  | 5%        | kg   | 673.499    |
|              |     | - Other:   |           |      |            |
| 7211.90      | 10  | - - - Of a thickness of less than 3 mm   | 5%        | kg   | 673.531    |
| 7211.90      | 90  | - - - Other  | 5%        | kg   | 673.539    |

| HS           | CET | DESCRIPTION OF GOODS  | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|---|-----------|------|------------|
| <b>72.12</b> |     | <b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.</b> |           |      |            |
| 7212.10      | 00  | - Plated or coated with tin   | 5%        | kg   | 674.22     |
|              |     | - Electrolytically plated or coated with zinc:  |           |      |            |
| 7212.20      | 10  | - - - Of a thickness of less than 3 mm, corrugated  | 15%       | kg   | 674.121    |
| 7212.20      | 20  | - - - Of a thickness of less than 3 mm, other   | 5%        | kg   | 674.122    |
| 7212.20      | 90  | - - - Other   | 5%        | kg   | 674.129    |
|              |     | - Otherwise plated or coated with zinc:   |           |      |            |
| 7212.30      | 10  | - - - Of a thickness of less than 3 mm, corrugated  | 15%       | kg   | 674.141    |
| 7212.30      | 20  | - - - Of a thickness of less than 3 mm, other   | 5%        | kg   | 674.142    |
| 7212.30      | 90  | - - - Other   | 5%        | kg   | 674.149    |
|              |     | - Painted, varnished or coated with plastics:   |           |      |            |
| 7212.40      | 10  | - - - Of a thickness of less than 3 mm, corrugated  | 15%       | kg   | 674.321    |
| 7212.40      | 20  | - - - Of a thickness of less than 3 mm, other   | 5%        | kg   | 674.322    |
| 7212.40      | 90  | - - - Other   | 5%        | kg   | 674.329    |
|              |     | - Otherwise plated or coated:   |           |      |            |
| 7212.50      | 10  | - - - Of a thickness of less than 3 mm, corrugated  | 15%       | kg   | 674.511    |
| 7212.50      | 20  | - - - Of a thickness of less than 3 mm, other   | 5%        | kg   | 674.512    |
| 7212.50      | 90  | - - - Other   | 5%        | kg   | 674.519    |
|              |     | - Clad:   |           |      |            |
| 7212.60      | 10  | - - - Of a thickness of less than 3 mm, corrugated  | 15%       | kg   | 674.521    |
| 7212.60      | 20  | - - - Of a thickness of less than 3 mm, other   | 5%        | kg   | 674.522    |
| 7212.60      | 90  | - - - Other   | 5%        | kg   | 674.529    |
| <b>72.13</b> |     | <b>Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.</b>                       |           |      |            |
|              |     | - Containing indentations, ribs, grooves or other deformations produced during the rolling process:             |           |      |            |
| 7213.10      | 10  | - - - Of iron   | 5%        | kg   | 676.111    |
| 7213.10      | 90  | - - - Of non-alloy steel  | 10%       | kg   | 676.112    |
| 7213.20      | 00  | - Other, of free-cutting steel  | 10%       | kg   | 676.612    |
|              |     | - Other:  |           |      |            |
|              |     | - - Of circular cross-section measuring less than 14 mm in diameter:  |           |      |            |
| 7213.91      | 10  | - - - Of iron   | 5%        | kg   | 676.191    |

| HS           | CET | DESCRIPTION OF GOODS   | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|--|-----------|------|------------|
| 7213.91      | 90  | - - - Of non-alloy steel   | 10%       | kg   | 676.192    |
|              |     | - - Other:   |           |      |            |
| 7213.99      | 10  | - - - Of iron  | 5%        | kg   | 676.193    |
| 7213.99      | 90  | - - - Of non-alloy steel   | 10%       | kg   | 676.194    |
| <b>72.14</b> |     | <b>Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.</b> |           |      |            |
|              |     | - Forged:  |           |      |            |
| 7214.10      | 10  | - - - Of iron  | 5%        | kg   | 676.431    |
| 7214.10      | 20  | - - - Of non-alloy steel   | 5%        | kg   | 676.432    |
|              |     | - Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:   |           |      |            |
| 7214.20      | 10  | - - - Of iron  | 5%        | kg   | 676.211    |
| 7214.20      | 90  | - - - Of non-alloy steel   | 10%       | kg   | 676.212    |
| 7214.30      | 00  | - Other, of free-cutting steel   | 10%       | kg   | 676.22     |
|              |     | - Other:   |           |      |            |
|              |     | - - Of rectangular (other than square) cross-section:  |           |      |            |
| 7214.91      | 10  | - - - Of iron  | 5%        | kg   | 676.291    |
| 7214.91      | 90  | - - - Of non-alloy steel   | 10%       | kg   | 676.292    |
|              |     | - - Other:   |           |      |            |
| 7214.99      | 10  | - - - Of iron  | 5%        | kg   | 676.293    |
| 7214.99      | 90  | - - - Of non-alloy steel   | 10%       | kg   | 676.294    |
| <b>72.15</b> |     | <b>Other bars and rods of iron or non-alloy steel.</b>   |           |      |            |
| 7215.10      | 00  | - Of free-cutting steel, not further worked than cold-formed or cold-finished  | 5%        | kg   | 676.31     |
| 7215.50      | 00  | - Other, not further worked than cold-formed or cold-finished  | 5%        | kg   | 676.33     |
|              |     | - Other:   |           |      |            |
| 7215.90      | 10  | - - - Of iron  | 5%        | kg   | 676.441    |
| 7215.90      | 90  | - - - Of non-alloy steel   | 5%        | kg   | 676.449    |
| <b>72.16</b> |     | <b>Angles, shapes and sections of iron or non-alloy steel.</b>   |           |      |            |
| 7216.10      | 00  | - U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm  | 5%        | kg   | 676.811    |

| HS           | CET | DESCRIPTION OF GOODS   | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|--|-----------|------|------------|
|              |     | - L or T sections, not further worked than hot- rolled, hot-drawn or extruded, of a height of less than 80 mm:           |           |      |            |
| 7216.21      | 00  | - - L sections   | 5%        | kg   | 676.812    |
| 7216.22      | 00  | - - T sections   | 5%        | kg   | 676.813    |
|              |     | - U, I or H sections, not further worked than hot- rolled, hot-drawn or extruded of a height of less than 80 mm or more: |           |      |            |
| 7216.31      | 00  | - - U sections   | 5%        | kg   | 676.821    |
| 7216.32      | 00  | - - I sections   | 5%        | kg   | 676.822    |
| 7216.33      | 00  | - - H sections   | 5%        | kg   | 676.823    |
| 7216.40      | 00  | - L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more               | 5%        | kg   | 676.824    |
|              |     | - Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:                          |           |      |            |
| 7216.50      | 10  | - - - Angles, of non-alloy steel   | 10%       | kg   | 676.831    |
| 7216.50      | 90  | - - - Other  | 5%        | kg   | 676.839    |
|              |     | - Angles, shapes and sections, not further worked than cold-formed or cold-finished:                                     |           |      |            |
|              |     | - - Obtained from flat-rolled products:  |           |      |            |
| 7216.61      | 10  | - - - Angles, of non-alloy steel   | 10%       | kg   | 676.841    |
| 7216.61      | 90  | - - - Other  | 5%        | kg   | 676.842    |
|              |     | - - Other:   |           |      |            |
| 7216.69      | 10  | - - - Angles, of non-alloy steel   | 10%       | kg   | 676.843    |
| 7216.69      | 90  | - - - Other  | 5%        | kg   | 676.849    |
|              |     | - Other:   |           |      |            |
|              |     | - - Cold-formed or cold-finished from flat-rolled products:  |           |      |            |
| 7216.91      | 10  | - - - Angles, of non-alloy steel   | 10%       | kg   | 676.851    |
| 7216.91      | 90  | - - - Other  | 5%        | kg   | 676.852    |
| 7216.99      | 00  | - - Other  | 5%        | kg   | 676.859    |
| <b>72.17</b> |     | <b>Wire of iron or non-alloy steel.</b>  |           |      |            |
|              |     | - Not plated or coated, whether or not polished:   |           |      |            |
| 7217.10      | 10  | - - - Of iron  | 5%        | kg   | 678.141    |
| 7217.10      | 90  | - - - Of non-alloy steel   | 10%       | kg   | 678.142    |
| 7217.20      | 00  | - Plated or coated with zinc   | 5%        | kg   | 678.151    |
| 7217.30      | 00  | - Plated or coated with other base metals  | 5%        | kg   | 678.159    |
| 7217.90      | 00  | - Other  | 5%        | kg   | 678.19     |



| HS             | CET       | DESCRIPTION OF GOODS  | DUTY RATE | UNIT      | SITC REV 4    |
|----------------|-----------|---|-----------|-----------|---------------|
|                |           | <b>III - STAINLESS STEEL</b>  |           |           |               |
| <b>72.18</b>   |           | <b>Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.</b> |           |           |               |
| 7218.10        | 00        | - Ingots and other primary forms  | Free      | kg        | 672.47        |
|                |           | - Other:  |           |           |               |
| 7218.91        | 00        | - - Of rectangular (other than square) cross-section  | Free      | kg        | 672.811       |
| 7218.99        | 00        | - - Other   | Free      | kg        | 672.819       |
| <b>72.19</b>   |           | <b>Flat-rolled products of stainless steel, of a width of 600 mm or more.</b>                       |           |           |               |
|                |           | - Not further worked than hot-rolled, in coils:   |           |           |               |
| 7219.11        | 00        | - - Of a thickness exceeding 10 mm  | 5%        | kg        | 675.311       |
| 7219.12        | 00        | - - Of a thickness of 4.75 mm or more but not exceeding 10 mm                                       | 5%        | kg        | 675.312       |
| 7219.13        | 00        | - - Of a thickness of 3 mm or more but less than 4.75 mm  | 5%        | kg        | 675.32        |
| 7219.14        | 00        | - - Of a thickness of less than 3 mm  | 5%        | kg        | 675.33        |
|                |           | - Not further worked than hot-rolled, not in coils:   |           |           |               |
| 7219.21        | 00        | - - Of a thickness exceeding 10 mm  | 5%        | kg        | 675.341       |
| 7219.22        | 00        | - - Of a thickness of 4.75 mm or more but not exceeding 10 mm                                       | 5%        | kg        | 675.342       |
| 7219.23        | 00        | - - Of a thickness of 3 mm or more but less than 4.75 mm  | 5%        | kg        | 675.35        |
| 7219.24        | 00        | - - Of a thickness of less than 3 mm  | 5%        | kg        | 675.36        |
|                |           | - Not further worked than cold-rolled (cold-reduced):   |           |           |               |
| 7219.31        | 00        | - - Of a thickness of 4.75 mm or more   | 5%        | kg        | 675.51        |
| 7219.32        | 00        | - - Of a thickness of 3 mm or more but less than 4.75 mm  | 5%        | kg        | 675.52        |
| 7219.33        | 00        | - - Of a thickness exceeding 1 mm but less than 3 mm  | 5%        | kg        | 675.53        |
| 7219.34        | 00        | - - Of a thickness of 0.5 mm or more but not exceeding 1 mm   | 5%        | kg        | 675.54        |
| 7219.35        | 00        | - - Of a thickness of less than 0.5 mm  | 5%        | kg        | 675.55        |
| 7219.90        | 00        | - Other   | 5%        | kg        | 675.71        |
| <b>72.20</b>   |           | <b>Flat-rolled products of stainless steel, of a width of less than 600 mm.</b>                     |           |           |               |
|                |           | - Not further worked than hot-rolled:   |           |           |               |
| 7220.11        | 00        | - - Of a thickness of 4.75 mm or more   | 5%        | kg        | 675.37        |
| 7220.12        | 00        | - - Of a thickness of less than 4.75 mm   | 5%        | kg        | 675.38        |
| 7220.20        | 00        | - Not further worked than cold-rolled (cold-reduced)  | 5%        | kg        | 675.56        |
| 7220.90        | 00        | - Other   | 5%        | kg        | 675.72        |
| <b>7221.00</b> | <b>00</b> | <b>Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.</b>                   | <b>5%</b> | <b>kg</b> | <b>676.15</b> |
| <b>72.22</b>   |           | <b>Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.</b>      |           |           |               |

| HS             | CET       | DESCRIPTION OF GOODS  | DUTY RATE | UNIT      | SITC REV 4    |
|----------------|-----------|---|-----------|-----------|---------------|
|                |           | - Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:                             |           |           |               |
| 7222.11        | 00        | - - Of circular cross-section   | 5%        | kg        | 676.251       |
| 7222.19        | 00        | - - Other   | 5%        | kg        | 676.259       |
| 7222.20        | 00        | - Bars and rods, not further worked than cold-formed or cold-finished                                   | 5%        | kg        | 676.34        |
| 7222.30        | 00        | - Other bars and rods   | 5%        | kg        | 676.45        |
|                |           | - Angles, shapes and sections:  |           |           |               |
| 7222.40        | 10        | - - - Angles  | 5%        | kg        | 676.871       |
| 7222.40        | 20        | - - - Shapes and sections   | 5%        | kg        | 676.872       |
| <b>7223.00</b> | <b>00</b> | <b>Wire of stainless steel.</b>   | <b>5%</b> | <b>kg</b> | <b>678.21</b> |
|                |           | <b>IV -OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL</b>                   |           |           |               |
| <b>72.24</b>   |           | <b>Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.</b> |           |           |               |
| 7224.10        | 00        | - Ingots and other primary forms  | Free      | kg        | 672.49        |
| 7224.90        | 00        | - Other   | Free      | kg        | 672.82        |
| <b>72.25</b>   |           | <b>Flat-rolled products of other alloy steel, of a width of 600 mm or more.</b>                         |           |           |               |
|                |           | - Of silicon-electrical steel:  |           |           |               |
| 7225.11        | 00        | - - Grain-oriented  | 5%        | kg        | 675.111       |
| 7225.19        | 00        | - - Other   | 5%        | kg        | 675.119       |
| 7225.30        | 00        | - Other, not further worked than hot-rolled, in coils   | 5%        | kg        | 675.41        |
| 7225.40        | 00        | - Other, not further worked than hot-rolled, not in coils   | 5%        | kg        | 675.42        |
| 7225.50        | 00        | - Other, not further worked than cold-rolled (cold-reduced)   | 5%        | kg        | 675.61        |
|                |           | - Other:  |           |           |               |
| 7225.91        | 00        | - - Electrolytically plated or coated with zinc   | 5%        | kg        | 675.731       |
| 7225.92        | 00        | - - Otherwise plated or coated with zinc  | 5%        | kg        | 675.732       |
| 7225.99        | 00        | - - Other   | 5%        | kg        | 675.733       |
| <b>72.26</b>   |           | <b>Flat-rolled products of other alloy steel, of a width of less than 600 mm.</b>                       |           |           |               |
|                |           | - Of silicon-electrical steel:  |           |           |               |
| 7226.11        | 00        | - - Grain-oriented  | 5%        | kg        | 675.121       |
| 7226.19        | 00        | - - Other   | 5%        | kg        | 675.129       |
| 7226.20        | 00        | - Of high speed steel   | 5%        | kg        | 675.2         |
|                |           | - Other:  |           |           |               |
| 7226.91        | 00        | - - Not further worked than hot-rolled  | 5%        | kg        | 675.43        |
| 7226.92        | 00        | - - Not further worked than cold-rolled (cold-reduced)  | 5%        | kg        | 675.62        |
| 7226.99        | 00        | - - Other   | 5%        | kg        | 675.749       |
| <b>72.27</b>   |           | <b>Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.</b>                     |           |           |               |

| HS           | CET | DESCRIPTION OF GOODS   | DUTY RATE | UNIT | SITC REV 4 |
|--------------|-----|--|-----------|------|------------|
| 7227.10      | 00  | - Of high speed steel  | 5%        | kg   | 676.17     |
| 7227.20      | 00  | - Of silico-manganese steel  | 5%        | kg   | 676.195    |
| 7227.90      | 00  | - Other  | 5%        | kg   | 676.199    |
| <b>72.28</b> |     | <b>Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.</b> |           |      |            |
| 7228.10      | 00  | - Bars and rods, of high speed steel   | 5%        | kg   | 676.41     |
| 7228.20      | 00  | - Bars and rods, of silico-manganese steel   | 5%        | kg   | 676.42     |
| 7228.30      | 00  | - Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded   | 5%        | kg   | 676.299    |
| 7228.40      | 00  | - Other bars and rods, not further worked than forged  | 5%        | kg   | 676.46     |
| 7228.50      | 00  | - Other bars and rods, not further worked than cold-formed or cold-finished  | 5%        | kg   | 676.39     |
| 7228.60      | 00  | - Other bars and rods  | 5%        | kg   | 676.47     |
|              |     | - Angles, shapes and sections:   |           |      |            |
| 7228.70      | 10  | - - - Angles   | 5%        | kg   | 676.881    |
| 7228.70      | 20  | - - - Shapes and sections  | 5%        | kg   | 676.882    |
| 7228.80      | 00  | - Hollow drill bars and rods   | 5%        | kg   | 676.48     |
| <b>72.29</b> |     | <b>Wire of other alloy steel.</b>  |           |      |            |
| 7229.20      | 00  | - Of silico-manganese steel  | 5%        | kg   | 678.292    |
| 7229.90      | 00  | - Other  | 5%        | kg   | 678.299    |